



भारत का राजपत्र

The Gazette of India

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं० -32]

नई दिल्ली, शनिवार, अगस्त 12, 1995 (श्रावण 21, 1917)

No. 32]

NEW DELHI, SATURDAY, AUGUST 12, 1995 (SRAVANA 21, 1917)

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके
[Separate paging is given to this Part in order that it may be filed as a separate compilation]

भाग III—खण्ड 2 [PART III—SECTION 2]

पेटेंट कार्यालय द्वारा जारी की गई पेटेंटों और डिजाइनों से सम्बन्धित अधिसूचनाएँ और नोटिस
[Notifications and Notices Issued by the Patent Office relating to Patents and Designs]

THE PATENT OFFICE
PATENTS AND DESIGNS

Calcutta, the 12th August 1995

ADDRESSES AND JURISDICTION OF OFFICES OF THE PATENT OFFICE

The Patent Office has its Head Office at Calcutta and Branch Offices at Bombay, Delhi and Madras having territorial Jurisdiction on a zonal basis as shown below :—

Patent Office Branch,
Todi Estate, III Floor, Lower Parel (West),
Bombay-400013.

The States of Gujarat, Maharashtra and Madhya Pradesh and the Union Territories of Goa, Daman and Diu and Dadra and Nagar Haveli.

Telegraphic address "PATOFFICE".

Patent Office Branch,
Unit No. 401 to 405, III Floor,
Municipal Market Building,
Saraswati Marg, Karol Bagh,
New Delhi-110005.

The States of Haryana, Himachal Pradesh, Jammu and Kashmir, Punjab, Rajasthan and Uttar Pradesh and the Union Territories of Chandigarh and Delhi.

Telegraphic address "PATENTOFFICE"

1-197GI/95

Patent Office Branch,
61, Wallajah Road,
Madras-600002.

The States of Andhra Pradesh, Karnataka, Kerala, Tamilnadu, and the Union Territories of Pondicherry, Laccadive, Minicoy and Amindivi Islands.

Telegraphic address "PATENTOFFIS".

Patent Office. (Head Office),
"NIZAM PALACE", 2nd M.S.O.
Building, 5th, 6th and 7th Floor,
234/4, Acharya Jagadish Bose Road,
Calcutta-700020.

Rest of India.

Telegraphic address "PATENTS".

All applications, notices, statements or other documents or any fees required by the Patents Act, 1970 or the Patents Rules, 1972 will be received only at the appropriate Offices of the Patent Office.

Fees :—The fees may either be paid in cash or may be sent by Money Order payable to the Controller at the appropriate Offices or by bank draft or cheque, payable to the Controller drawn on a scheduled bank at the place where the appropriate office is situated.

पेटेंट कार्यालय

एकसूत्र तथा अभिकल्प

कलकत्ता, दिनांक 12 अगस्त 1995

पेटेंट कार्यालय के कार्यालयों के पते एवं क्षेत्राधिकार

पेटेंट कार्यालय का प्रधान कार्यालय कलकत्ता में अवस्थित है तथा बम्बई, दिल्ली एवं मद्रास में इसके शाखा कार्यालय हैं, जिनके प्रादेशिक क्षेत्राधिकार जेन के आधार पर निम्न रूप में प्रदर्शित हैं :—

पेटेंट कार्यालय शाखा, टोडी इस्टेट,
नीसरा तल, लोअर परेल (पश्चिम),
बम्बई-400013 ।

गुजरात, महाराष्ट्र तथा मध्य प्रदेश राज्य
क्षेत्र एवं संघ शासित क्षेत्र गोआ, दमन तथा
दीव एवं दादरा और नगर हवेली ।

तार पता—“पेटेंटोफिस”

पेटेंट कार्यालय शाखा,
एकसूत्र सं. 401 सं 405; तीसरा तल,
नगरपालिका बाजार भवन,
सरस्वती मार्ग, कराने बाग,
नई दिल्ली-110005 ।

हरियाणा, हिमाचल प्रदेश, जम्मू तथा कश्मीर,
पंजाब, राजस्थान तथा उत्तर प्रदेश राज्य क्षेत्रों
एवं संघ शासित क्षेत्र चंडीगढ़ तथा दिल्ली ।

तार पता—“पेटेंटोफिस”

पेटेंट कार्यालय शाखा,
61, बालासाह राब,
मद्रास-600002 ।

आन्ध्र प्रदेश, कर्नाटक, केरल, तमिलनाडु राज्य
क्षेत्र एवं संघ शासित क्षेत्र पाण्डिचेरी, लक्षद्वीप,
मिनिक्काय तथा एमिनिविवि द्वीप ।

तार पता—“पेटेंटोफिस”

पेटेंट कार्यालय (प्रधान कार्यालय),
निजाम पैलेस, द्वितीय बहूतलीय कार्यालय,
भवन 5, 6 तथा 7वां तल,
234/4, आचार्य जगदीश बोस रोड,
कलकत्ता-700020 ।

भारत का अवशेष क्षेत्र ।

तार पता—“पेटेंट्स”

पेटेंट अधिनियम, 1970 या पेटेंट नियम, 1972 में अपेक्षित सभी आवेदन-पत्र, सूचनाएं, विवरण या अन्य प्रलेख पेटेंट कार्यालय के केवल उपयुक्त कार्यालय में ही प्राप्त किए जाएंगे ।

शुल्क :—शुल्कों की अदायगी या तो नकद की जाएगी अथवा उपयुक्त कार्यालय में नियंत्रक को भुगतान योग्य धनादेश अथवा डाक आदेश या जहाँ उपयुक्त कार्यालय अवस्थित है; उस स्थान के अनुसूचित बैंक से नियंत्रक को भुगतान योग्य बैंक ड्राफ्ट अथवा चेक द्वारा की जा सकती है ।

APPLICATION FOR PATENT FILED AT THE HEAD
OFFICE 234/4, ACHARYA JAGADISH BOSE
ROAD, CALCUTTA-20

The dates shown in the crecent bracket are the date
claimed under section 135, of the Patent Act, 1970.

02-06-1995

632/Cal/95. Tateho Chemical Industries Co. Ltd. Magne-
sium hydroxide solid Solutions, their production
and use.

05-06-1995

633/Cal/95. Priyadarshi Sen. Twin/single blade cartridge
shaving system with lubricating agent.

634/Cal/95. (1) Vallourec Oil & Gas and (2) Sumitomo
Metal Industries. Threaded Joint for pipes.
(Convention No. PV94 12441; filed on 13-10-94;
in France).

635/Cal/95. Tiroler Rohren-Und Metallwerke Ag. Pile.
(Convention No. G94 14 813-9; filed on 12-9-94;
in Germany).

636/Cal/95. Krone Aktiengesellschaft. Printed circuit board
for Connectors. (Convention No. G9412794.8;
filed on 9-8-94; in Germany).

637/Cal/95. Texaco Development Corporation. Slag Hand-
ling system. (Convention No. 08/265,858; filed
on 27-6-94; in U.S.A.).

638/Cal/95. Mitsui Toatsu Chemicals, Incorporated. Pro-
cess for the production of dianthraquinone-N, N'-
Dihydroazine. (Convention No. 136759/1994; on
20-6-94; in Japan).

639/Cal/95. Eli Lilly and Company. Combination treat-
ment for inhibiting bone loss. (Convention No.
08/279,363; filed on 22-7-94; in U.S.A.).

640/Cal/95. Sandvik AB. Drilling tool.

641/Cal/95. Sandvik AB. Drilling Tool.

06-06-1995

642/Cal/95. Monojit De. A Novel Drilling machine.

643/Cal/95. Ivor Henry Seddon. Improvements in or relat-
ing to fabric support. (Convention Nos. 9411741.
3; 9413511.8; 9422655.2; dated 11-6-94;
5-7-94; 10-11-94; United Kingdom respectively).

644/Cal/95. The wellcome foundation limited. Process for
the preparation of amide derivatives and process
of preparing pharmaceutical compositions
containing the same. (Divided out of No. 525/
Cal/95; dated 9-5-95).

645/Cal/95. LG Electronics Inc. A method for making
yogurt using electromagnetic induction heating
rice cooker. (Convention No. 12865/1994; on
08-6-94; in Korea).

646/Cal/95. Magneti Marelli Iberica, S.A. Two-Stroke Engine oil metering pump. (Convention Nos. 9401231, 9500987; dated 6-6-94, 23-5-94; both are in Spain).

647/Cal/95. Siemens Aktiengesellschaft. Arrangement having a multiplicity of conductor bars extending along a longitudinal axis and stacked on one another along a vertical axis. (Convention No. P4428370.9; filed on 11-8-94; in Germany).

648/Cal/95. Corporated ceramists (P) Limited. A Novel coating composition having heat and light reflecting properties.

07-06-1995

649/Cal/95. Carpc, Inc. Improved spiral separator.

08-06-1995

650/Cal/95. Asta medica Aktiengesellschaft. Noven heterocyclic compounds with antiasthmatic/anti-allergic, Anti-Inflammatory, Positive inotropic and blood pressure-Reducing effect. (Divided out of No. 659/Cal/93; dated 1-11-93).

651/Cal/95. Ormat Industries Ltd. Gas turbine system with heat recovery cycle and method for using the same (Convention Nos. 261,045; 262,503; filed on 14-6-94; 20-6-94; in U.S.A.).

652/Cal/95. Asta Medica Aktiengesellschaft. Noven Heterocyclic compounds with Antiasthmatic/anti-allergic, Anti-Inflammatory Positive inotropic and blood pressure-Reducing effect (Divided out of No. 659/Cal/93; dated 1-11-93).

653/Cal/95. Isover Saint-Gobain. Mineral fiber composition. (Convention Nos. P4421120.1; 19503170.9; dated 19-6-94; 1-2-95; in Germany).

COMPLETE SPECIFICATION ACCEPTED

Notice is hereby given that any person interested in opposing the grant of patents on any of the Applications concerned, may, at any time within four months of the date of this issue or within such further period not exceeding one month applied for on Form-14 prescribed under the Patents Rules, 1972 before the expiry of the said period of four months, given notice to the Controller of Patents at the appropriate office on the prescribed Form-15, of such opposition. The written statement of opposition should be filed alongwith the said notice, or within one month of its date as prescribed in Rule-36 of the Patents Rules, 1972.

The classifications given below in respect of each specification are according to Indian Classification and International Classification.

Typed or photo copies of the specifications together with photo copies of the drawings, if any, can be supplied by the Patent Office, Calcutta or the appropriate Branch Office on payment of the prescribed copying charges which may be ascertained on application to that office. Photo copying charges may be calculated by adding the number of pages in the specification and drawing sheets mentioned below against each accepted specification and multiplying the same by two to get the charges as the copying charges per page are Rs. 2/-.

स्वीकृत सम्पूर्ण विनिर्देश

एतद्वारा यह सूचना दी जाती है कि सम्बन्ध आवेदनों में से किसी पर पेटेंट अनुदान का विरोध करने के इच्छुक कोई व्यक्ति, इसके निर्गम की तिथि से चार(4) महीने या अधिक ऐसी अवधि जो उक्त 4 महीने की अवधि की समाप्ति के पूर्व पेटेंट नियम, 1972 के तहत विहित प्रपत्र 14 पर आवेदित एक महीने की अवधि से अधिक न हो, के भीतर कभी भी नियंत्रक, एकत्र को उपयुक्त कार्यालय में ऐसे विरोध की सूचना विहित प्रपत्र 15 पर दे सकते हैं। विरोध संबंधी लिखित वक्तव्य, उक्त सूचना के साथ अथवा पेटेंट नियम, 1972 के नियम 36 में यथाविहित इसकी तिथि के एक महीने के भीतर ही फाइल किए जाने चाहिए।

“प्रत्येक विनिर्देश के संदर्भ में नीचे दिए वर्गीकरण, भारतीय वर्गीकरण तथा अंतरराष्ट्रीय वर्गीकरण के अनुरूप हैं।”

रूपांकन (चित्र आरेखों) की फोटो प्रतियां यदि कोई हो, के साथ विनिर्देशों की टंकित अथवा फोटो प्रतियों की आपूर्ति पेटेंट कार्यालय, कलकत्ता अथवा उपयुक्त शाखा कार्यालय द्वारा विहित लिप्यान्तरण प्रभार जिस उक्त कार्यालय से पत्र-व्यवहार द्वारा संपादित करने के उपरान्त उसकी अदायगी पर की जा सकती है। विनिर्देश की पृष्ठ संख्या के साथ प्रत्येक स्वीकृत विनिर्देश के सामने नीचे वर्णित चित्र आरेख कागजों को जोड़कर उसे 2 से गुणा करके; (क्योंकि प्रत्येक पृष्ठ का लिप्यान्तरण प्रभार 2/- रु. है) पेटेंट लिप्यान्तरण प्रभार का परिकल्प किया जा सकता है।

Cl.: 195 D

175681

Int. Cl.: F 16 T 1/12

PRESSURE REDUCING AND CONDITIONING VALVE.

Applicant: KEYSTONE INTERNATIONAL HOLDINGS CORP. OF 9600 WEST GULF BANK DRIVE, HOUSTON, TX 77040 U.S.A.

Inventor: MAX KUEFFER.

Application No. 390/Cal/1990; filed on 15th May, 1990.

Appropriate office for opposition Proceedings (Rule 4, Patent Rule, 1972) Patent Office, Calcutta.

13 Claims

A valve for reducing the pressure of steam comprising:


a conditioning valve having a body divided into first and second chambers, said first chamber having an inlet port for the introduction of super-heated steam under high pressure into said conditioning valve, said second chamber having an outlet port for expelling depressurized steam out of said valve;

an annular seat affixed to the interior of said valve between said first and second chambers;

a hollow cylindrical cage being slidably movable with said seat, said cage having perforations which permit the flow of steam between said first and second chambers when said cage is in a first position, said perforations being closed off to prevent said flow of steam when said cage is in a second position; and

means coupled to said cage for adjusting said cage between said first and second positions wherein said means is a water stem having an outlet comprising a nozzle.

injecting desuperheating water into said second chamber whereby said depressurized steam is conditioned.



Compl. Specn. 20 pages.

Drgns. 11 sheets

Cl : 147 C

175682

Int. Cl.⁴: G 11 B 5/008, 15/00.

SYSTEM FOR RECORDING/REPRODUCING SIGNALS ON/FROM A MAGNETIC TAPE IN A CASSETTE.

Applicant: N. V. PHILIPS' GLOEILAMPENFABRIEKEN OF GROENEWOUDSEWEG 1, EINDHOVEN, THE NETHERLANDS.


Inventor: NORBERT CHRISTIAN VOLLMANN.

Application No. 423/Cal/1990; filed on 23rd May, 1990.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rule, 1972) Patent Office, Calcutta.

9 Claims

A system for recording/reproducing signals on/from a magnetic tape (5) in a cassette (3), which system comprises a standard apparatus and a standard cassette (29) which are adapted to one another in conformity with a specific standard, which standard apparatus comprises at least one standard locating pin for correctly positioning the standard cassette, and which standard cassette has a wall having at least one standard locating aperture in which the standard locating pin is engageable, characterized in that the system also comprises a deviating apparatus (1) and a deviating cassette (3) which are adapted to one another in conformity with a deviating standard, which deviating cassette has a wall having at least one deviating locating aperture (35A, B) with a dimension parallel to that wall which is smaller than the corresponding dimension of the standard locating pin so that the standard locating pin is not engageable and which deviating apparatus comprises at least one deviating locating pin (21) with such cross-dimensions that it is engageable with some clearance both in the standard locating aperture and in the deviating locating aperture.



Compl. Specn. 16 pages

Drgns. 5 sheets

Cl : 116 C, G

175683

Int. Cl.⁴: B 65 G 43/00

VIBRATION-FREE CONTROL DEVICE IN PARTICULAR OF THE STARTING AND BREAKING OF SYSTEMS.

Applicant: SIEMENS AKTIENGESellschaft, OF WITTELSBACHERPLATZ 2, D-8000, MUNCHEN 2, WEST GERMANY.

Inventor: KLAUS KOOPMANN.

Application No. 775/Cal/90 filed on 7th September, 1990.

Appropriate office for opposition Proceedings (Rule 4, Patent Rule, 1972) Patent Office, Calcutta.

4 Claims

Vibrationfree control device of a drive system, in particular for the starting and braking operation of conveying systems affected by mass vibration, for example large-capacity belt conveying systems or rope haulage systems, which has a starting and braking moment control device with a running-up and braking characteristic requirement and operates with a first accelerating-moment setpoint (M^*) dependent on the requirement, with a second load-moment setpoint (ML^*) and with a third additional setpoint (M^*) derived from a speed governor (3), the three setpoints being added to generate a moment setpoint (M^*), and the load-moment setpoint (L) being constantly corrected during stationary operation in such a way that the additional setpoint is virtually zero.




Fig - 1

(Compl. Specn. 8 pages;

Drgns. 1 sheet)

Cl: 40 B, 39 E

175684

Int. Cl.: B 01 J 23/00, 23/42, 23/44

F 01 N 3/00, 3/10

A PROCESS OF PREPARING A CATALYST FOR THE PURIFICATION OF THE EXHAUST GASES OF DIESEL ENGINES.

Applicant: DEGUSSA AKTIENGESELLSCHAFT, OF 6000 FRANKFURT AM MAIN WEISSFRAUENSTRASSE 9, FEDERAL REPUBLIC OF GERMANY.

Inventors: (1) RAINER DOMESLE, (2) BERND ENGLER, (3) HERBERT VOLKER, (4) EDGAR-KOBERSTEIN.

Application No. 972/Cal/90 filed on 16th November 1990.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rule, 1972) Patent Office, Calcutta.

3 Claims

A process of preparing a catalyst containing vanadium compounds and platinum group metals as active components on finely divided aluminium oxide, titanium oxide, silicon oxide, zeolite and their mixtures as activating support material, wherein the platinum group metals are present as platinum palladium rhodium and/or iridium, and all catalyst components are disposed on the channels, through which free flow is possible, of a monolithic or honeycomb inert support of ceramic or metal which process comprises the steps of impregnating simultaneously or in any sequence successively the activating support material with a solution of compounds of the platinum group metals and a solution of a vanadium compound, drying and optionally calcining at temperatures of at least 200°C, preferably in a hydrogen containing gas stream, the impregnation with at least of the two starting materials for the active components each time being carried out after or before the mounting of the activating support material on the inert support, wherein said activating support material is present at a concentration of 30–250, preferably 75–180, especially 90–150 g/dm³ catalyst volume and the vanadium calculated at V₂O₅ is present at a concentration of 0.15–15 g/dm³ catalyst volume; and the platinum group metals at a concentration of 0.1–7 g/dm³ catalyst volume.

Compl. Specn. 26 pages

Drgns Nil

Cl.: 206 A

175685

Int. Cl.: H 01 Q 21/24

PRINTED CIRCUIT ANTENNA.

Applicant COMMUNICATIONS SATELLITE CORPORATION, OF 950 L' ENFANT PLAZA, S.W., WASHINGTON, D.C. 20024, UNITED STATES OF AMERICA.

Inventors: (1) ROBERT MICHAEL SORBELLO, and (2) AMIR IBRAHIM ZAGHLOUL.

Application No. 1022/Cal/1990; filed on 10th December, 1990.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rule, 1972) Patent Office, Calcutta.

6 Claims

A printed circuit antenna providing for two senses of polarization, said antenna comprising a ground plane, a first power divider array disposed over said ground plane, a first array of radiating elements disposed over said first power divider array, a second power divider array disposed over said first array of radiating elements, and a second array of radiating elements disposed over said second power divider array, the improvement wherein said first array of radiating elements comprises an array of radiating elements configured in a manner as herein described to operate throughout a

first frequency band, and said second array of radiating elements comprises an array of radiating elements configured in a manner as herein described to operate throughout a second frequency band that does not overlap said first frequency band, and wherein said second array of radiating elements have a gain that is at least 3.0 dB less than a gain of said first array of radiating elements within said first frequency band, and said first array of radiating elements have a gain that is at least 3.0 dB less than a gain of said second array of radiating elements within said second frequency band.




FIG. 1

Compl. Specn. 11 pages.

Drgns 2 sheet

Cl: 194-C (II)

175686

Int. Cl.: H 01 J 29/68

SEPARATOR FOR DEFLECTION YOKE.

Applicant: SAMSUNG ELECTRON DEVICES CO., LTD. OF 575, SIN-RI, TAEAN-EUB, HWASUNG-KUN, KYUNGGI-DO, REPUBLIC OF KOREA.

Inventor: HYUNJEONG SHIN.

Application No. 140/Cal/1991; filed on 14th February, 1991.


Appropriate Office for Opposition Proceedings (Rule 4, Patent Rule, 1972) Patent Office, Calcutta.

2 Claims

A separator for deflection yoke, comprising: a neck holder consisting of a two outer pieces and an intermediate piece; and a correcting means installed on said neck holder to correct the convergence; and

further comprising: a reinforcing portion formed on the outer lower portion of each of said outer pieces of said neck holder; an insertion slot formed into said reinforcing portion; a stepped portion formed on the lower portion of said intermediate piece in order to match the height with said insertion slot and disposed between said reinforcing portions, a guide projection formed on said stepped portion in the circumferential direction in alignment with the centre line of said insertion slot said correcting means provided

with an elongate guide slot in the circumferential direction and at the centre thereof, said correcting means being slidable along said guide projection.



Compl. Specn. 13 pages.

Drgns. 3 sheets

Cl.: 69 AKI

175687

Int. Cl.⁴: H 01 H 33/88

GAS CIRCUIT BREAKER.

Applicant: HITACHI LTD., OF 6, KANDA SURUGADAI 4-CHOME, CHIYODA-KU, TOKYO, JAPAN.

Inventors: (1) YASU HARU SEKI, (2) OSAMU KOYANAGI, (3) MASANORI TSUKUSHI.


Application No. 218/Cal/91 filed on 15th March, 1991.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rule, 1972) Patent Office, Calcutta.

5 Claims

A gas circuit breaker comprising a pair of contactors, one being fixed and the other movable, a nozzle arranged to surround said contact portions of said contactors so as to guide a flow of a gas; a puffer chamber for compressing said gas in response to a circuit breaking action and for supplying compressed gas into said nozzle; and an exhaust passage in one of said contactors which is located adjacent to said nozzle, said gas supplied from said puffer chamber being discharged through said nozzle and said exhaust passage; wherein said exhaust passage includes a first passage formed in said one of said contactors so as to extend in an axial direction thereof and a second passage communicating with and branching from said first passage and extending radially with respect to an axis of said one of said contactors, said second passage constituting said exhaust passage being arranged radially to the axis of said contactors at positions between gas discharging holes which are provided in said puffer chamber at a predetermined circumferential spacing, and wherein a projection formed of an arc-resistant member is provided on a branch connection between said first passage and said second passage.

FIG. 1



Compl. Specn. 18 pages

Drgns. 3 sheets

Cl.: 32 F 2a + 55 E4

175688

Int. Cl.⁴: A 61 K 31/505.

THE PROCESS OF PREPARING A PHARMACEUTICAL COMPOUND FOR TREATMENT OF CHEMOTHERAPEUTIC AGENT AND ANTIVIRAL AGENT TOXICITY.

Applicant: PRO-NEURON, INC. OF 1530 E. JEFFERSON STREET, ROCKYVILLE, MARYLAND 20852, UNITED STATES OF AMERICA.


Inventors: (1) REID WARREN VON BORSTEL, (2) MICHAEL KEVIN BAMAT.

Application No. 473/Cal/92 filed on 6th July, 1992.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rule, 1972) Patent Office, Calcutta.

1 Claim

The process of preparing a pharmaceutical compound for treatment of chemotherapeutic agent and antiviral agent toxicity, which compound is an acyl derivative of a nucleoside having the formula:



wherein $x = OR_3$ or H; and wherein at least R_1 , R_2 or R_3 is a hydrocarboxy carbonyl moiety containing 2-26 carbon atoms and the remaining R substituents are independently a hydrocarboxy carbonyl or hydrocarboxy carbonyl moiety or H or selected from the group consisting of uridine, cytidine, deoxycytidine and deoxyuridine phosphate, said process comprising reacting a nucleoside with a carbonylchloroformate having 2-26 carbon atoms in the carbonyl moiety in a solvent such as pyridine or pyridine plus dimethylformamide under anhydrous condition; removing the solvent under vacuum; and purifying the residue by column chromatography.

Compl. Specn. 103 pages

Drgns. Nil

Cl.: 32 F 2(b)

17568

Int. Cl.⁴: A 61 K 31/545,
C 07 D 501/04

PROCESS FOR PREPARING 7-SUBSTITUTED-AMINO-3-HYDROXY-3-CEPHEM-4-PROTECTED CARBOXY-SULFOXIDE ESTERS.

Applicant: ELI LILLY AND COMPANY OF LILL CORPORATE CENTER, CITY OF INDIANAPOLIS, STATE OF INDIANA, UNITED STATES OF AMERICA


Inventor: FRANK BROWN, JUNIOR.

Application No. 196/Cal/1993; filed on 06th April, 1993

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rule, 1972) Patent Office, Calcutta.

4 Claims


A process for the preparation of a compound of the formula



wherein A is an amino protecting group or a group of the formula



wherein R is the residue of a carboxylic acid RCOOH; and R₁ is a carboxy-protecting group, comprising the step of reacting an intermediate complex comprising a tin-containing Lewis acid-type Friedel-Crafts catalyst and a compound of the formula (2)



with ozone, under substantially anhydrous conditions.

Compl. Specn. 51 pages.

Drgns. Nil

Cl: 55 (E-4)

175690

Int. Cl.⁴: A 61 K 31/97; A 61 K 47/00.

A METHOD OF PREPARING A CONTROLLED RELEASE VETERINARY MEDICINE IN THE FORM OF LICKS CAPABLE OR BEING ADMINISTERED TO DOMESTIC RUMINANTS FOR EFFECTIVE PREVENTION/CURE FROM/OF GASTROINTESTINAL NEMATODOSIS.

Applicant: (1) DR. (MS). AMRITA PATEL, OF BLOCK DK, SECTOR II, SALT LAKE CITY, STATE OF WEST BENGAL, INDIA, (2) NATIONAL DAIRY DEVELOPMENT BOARD, CITY OF ANAND, STATE OF GUJARAT, INDIA.

Inventors: (1) DR. PRABIR KUMAR SANYAL, (2) DR. DEO KUMAR SINGH.

Application No. 389/Cal/93 filed on 5th July, 1993.

Appropriate Office for Opposition Proceedings (Rule 4, Patent Rule, 1972) Patent Office, Calcutta.

5 Claims

A method of preparing a controlled release veterinary medicine in the form of licks, capable of being administered to domestic ruminants, for effective prevention/cure from/of gastrointestinal nematodosis, comprising the steps of intimately mixing an anthelmintic agent, such as herein described, with a licking material, such as herein described, to which domestic ruminants have an inherent affinity and moulding the so intimately mixed product in desired

size(s) and shape(s) in the form of licks, the said active anthelmintic agent being present in the said lick, in distributed form, such as not to exceed 0.5 gm. per kg. of the licking material.

Compl. Specn. 9 pages

Drgns. 3 sheets

PRINTED SPECIFICATION PUBLISHED

A limited number of printed copies of the undernoted specification are available for sale from the patent office, Calcutta, and its branches at Bombay, Madras and Delhi at two rupees per copy:—

(1)

163433 163434 163435 163436 163437 163438 163439 163440
163441 163442 163443 163444 163445 163446 163447 163448
163449, 163450 163451 163452 163453 163454 163455 163456
163457 163458 163459 163460 163461 163462 163463 163464
163465 163466 163467 163468 163469 163470

(2)

163471 163472 163473 163474 163475 163476 163477 163478
163479 163480 163481 163482 163483 163484 163485 163486 163487
163488 163489 163490 163491 163492 163493 163494 163495
163496 163497 163499 163500 163501 163502 163503 163504
163505 163506 163507 163508 163509 163510 163511 163512
163513 163514 163515 164516 163517 163518 163519 163520

(3)

163521 163522, 163523 163524 163525 163526 163527 163528
163529 163530 163531 163532 163533 163534 163535 163536 163537
163538 163539 163540 163541 163542 163543 163544 163545
163546 163547 163548 163549 163550 163552 163553 163554
163555 163556 163557 163558 163559 163560 163561 163562
163563 163564 163565 163566 163567 163568 163569 163570
163571 163572 163573 163574 13575 163576, 163577 163578
163579 163580

RENEWAL FEES PAID

155073 155099 155580 156473 156484 156489 156855 156858
157028 157133 157134 157135 157137 157146 157180 157274
157420 157736 158494 158761 158771 158784 158785 158836
159000 159153 159486 159782 159845 159966 159982 159992
160000 160645 160810 161008 161009 161301 161696 162149
163073 163251 163523 163962 163315 163353 163568 165621
165846 166041 166071 166118 166302 166784 166902 167297
167966 168290 168563 168711 168714 169496 169739 169821
169917 169919 170595 170709 170710 170728 171010 171031
171138 171472 171534 171549 171767 171865 171885 171898
171948 171975 172035 172393 172456 172485 172486 172526
172839 173179 173211 173346 173428 173782 173786 173860
173972 173973 174029

PATENT SEALED ON 14-7-1995

168716 174513 174517 174534 174539*D 174601 174602
174603 174604 174605 174606 174613 174616 174617*
174619 174621 174623* 174625 174627 174628 174629*
174632 174635 174637 174638* 174642 174644* 174646
174647* 174649 174650 174654 174655 174656 174658

Cal—04, Del—26, Bom—05 & Mas—Nil.

*Patent shall be deemed to be endorsed with the words LICENCE OF RIGHT Under Section 87 of the Patents Act, 1970 from the date of expiration of three years from the date of sealing.

D—Drug Patents, F—Food Patents.

REGISTRATION OF DESIGNS

The following designs have been registered. They are not open to inspection for Period of two years from the date of registration except as provided for in Section 50 of the Designs Act, 1911.

The date shown in the each entries is the date of the registration included in the entries.

- Class 1.** No. 166810, Mag Instrument, Inc., 1635 South Sacramento Avenue Ontario, California 91761, U.S.A., "CLAMP ASSEMBLY WITH SWIVEL", 8th February 1994.
- Class 1.** No. 167959, Revissant, a division of Vishal (P) Limited, an Indian Company, 24 Nehru Place, New Delhi-110019, India, "CIGARETTE BOX", 22nd August 1994.
- Class 1.** No. 167410, Lakshmi Machine Works Limited, an Indian Company having its registered office at Perianaickenpalavam, Coimbatore-641020, Tamilnadu India "DELIVERY RING OF A CARD", 5th May 1994.
- Class 1.** No. 167411, Lakshmi Machine Works Limited, an Indian Company having its registered office at Perianaickenpalavam Coimbatore-641020, Tamilnadu India "INNER RING TOP OF A CARD", 5th May 1994.
- Class 1.** No. 167414, Lakshmi Machine Works Limited, an Indian Company having its registered office at Perianaickenpalavam, Coimbatore-641020, Tamilnadu India, "GEAR BOX COVER OF A CARD", 5th May 1994.
- Class 1.** No. 167417, Lakshmi Machine Works Limited, an Indian Company having its registered office at Perianaickenpalavam Coimbatore-641020, Tamilnadu India "A INNER RING BOTTOM OF A CARD", 5th May 1994.
- Class 1.** No. 167161, The Jay Engineering Works Ltd., an Indian Company, 23 Kasturba Gandhi Marg, New Delhi-110001, India, "SEWING MACHINE", 6th April 1994.
- Class 3.** No. 166904, Hasbro International, Inc., a Corporation organised and existing under the laws of the State of Massachusetts, U.S.A. of 1027 Newport Avenue, Pawtucket, Rhode Island 02862, United States of America, "A GAME APPARATUS", 10th September (Reciprocity).
- Class 3.** No. 166896, Jalarām Plastic Industries, 10, Devan Estate, I.B. Patel Road, Goregaon (E), Bombay-400063, Maharashtra, India, proprietary concern "MIXER JAR", 28th February 1994.
- Class 3.** No. 167870, B. R. Plastics, 314, A to Z Industrial Estate, 3rd floor, G. Kadam Marg, Bombay-400013, Maharashtra, India, a registered partnership concern, "COMPOSITE SELF LOCKED SOAP CASE", 9th August 1994.
- Class 3.** No. 167118, Gold Coin Plastics, Podar Bhavan, Parekh Lane, Kandivali West, Bombay-67, Maharashtra, India, proprietary concern, "BROOM", 28th March 1994.
- Class 3.** No. 167095, Hindustan Lever Limited, 165/166 Backbay Reclamation, Bombay-400020, Maharashtra, India, "CONTAINER WITH CAP", 5th October 1993 (Reciprocity).
- Class 3.** No. 166774, Balsara Hygiene Products Ltd., a company under the Indian companies Act, 1956, and having principal place of business at "Balsara House" 43, N. Master Road, Fort, Bombay-400001 Maharashtra, India, "TOOTH BRUSH", 28th January 1994.
- Class 3.** No. 166832, Ajanta transistor Clock Mfg. Co., Orpat Industrial Estate, Rajkot Highway, P.B. No. 115, Morbi 363641, Maharashtra, India, an Indian partnership firm, "WALL CLOCK", 14th February 1994.
- Class 3.** No. 167142, Motorola Inc., a corporation of the State of Delaware, located and doing business at corporate offices, 1303 East Algonquin Road, Schaumburg, Illinois 60196, United States of America, "SELECTIVE CALL RECEIVER", 4th April 1994.
- Class 3.** No. 168506, Maldan Engineering Pvt. Ltd., an Indian company, at F 10, Shantinagar Co-op Industrial Estate, Vakola, Santa Cruz (E), Bombay 25, Maharashtra, India, "VEHICLE FOR WATER SPORT", 16th December 1994.
- Class 4.** No. 165704, Brooke Bond India Limited, an Indian company, having its principal place of business at Brooke Fields, P.B. No. 3777, Marathahalli P.O. Bangalore-560037, Karnataka, India, "BOTTLE", 3rd June 1993.
- Class 4.** No. 166114 & 166115, Ashoke Enamel & Glass Works (P) Ltd., 34A, Motaculfe Street, Calcutta-700013, West Bengal, India, an Indian company, "JAR", 3rd September 1993.
- Class 4.** No. 166436, Herbertsons Limited, of Ewart House, 22 Homi Mody Street, Bombay-400023, Maharashtra, India, an Indian Company, "BOTTLE", 27th October 1993.
- Class 4.** No. 166929, A Patwe sons & Co., of 3rd Sant Savta Marg, Khandke Compound, Byculla, Bombay-27, Maharashtra, India, Indian partnership firm, "BOTTLE", 8th March 1994.
- Class 11.** No. 166725, Ravissant, A division of Vishal (P) Limited, an Indian Company, 24 Nehru Place, New Delhi-110019, "CULLOTE FOR LADIES", 18th January 1994.
- Class 11.** No. 166729, Ravissant, A division of Vishal (P) Limited, an Indian Company, 24 Nehru Place, New Delhi-110019, "KURTA FOR LADIES", 18th January 1994.
- Class 12.** Nos. 168473 to 168482, Hindustan Lever Limited, an Indian Company of Hindustan Lever House, 165/166 Backbay Reclamation, Bombay-400020, Maharashtra, India, "PACKAGING BAGS/SACKS MADE OF JUTE", 8th December 1994.

R. A. ACHARYA
Controller General of Patents,
Design & Trade Marks